


NEW COLLECTION



2026/2027

ZAMETER NEW COLORS



zameter



THE CATALOG

SINTERED STONE

X CONTENT



- 05 RAFFAELLO
- 06 STATUARIO
- 07 CARRARA
- 08 CALACATTA GOLDEN

EX



- 09 CALACATTA AUREO
- 10 MACCHIA VECCHIA
- 11 TAJ MAHAL PEARL
- 12 TAJ MAHAL
- 13 TRAVERTINE BEIGE
- 14 TRAVERTINE WHITE
- 15 CALACATTA LACK
- 16 LAURENT GOLDEN
- 17 IRON NERO

WE PROTECT YOUR HEALTH

ANTIBACTERIAL

Suitable for use in all types of environments, especially places where bacteria are easy to breed. After adding the antibacterial material, cooking or barbecue can be realized between the surfaces of the Sintered stones. The moisture-proof and mildew-proof performance of board has better bacteriostatic effect than traditional board. Nabel Antibacterial Slabs help to eliminate the growth of bacteria such as Staphylococcus Aureus and Escherichia Coil.

TECHNICAL FEATURES



Easy to Clean And Maintain

Any dirt can be easily cleaned. Resistant to kinds of cleaning chemical agent, such as bleach.



Suitable For Touch With Foodstuffs

Does not contain any harmful substances and is suitable for contact with food. Food can be directly placed on the surface of rock plate for treatment.



Resistant To High Temperatures

Non-flammable, high temperature resistant, and will not release any harmful substances at high temperature.



Super Abrasion And Scratch Resistance

High hardness, which makes it very difficult to be scratched and ground.



High UV Resistance

For it is 100% natural, its color will not fade when exposed to sunlight or other extreme weather conditions.



Low Water Absorption (Less Than 0.1%), Nonporous

High strength and good compactness, with an absorption level of almost zero.



Countertops



Kitchen Sinks



Kitchen Wall




Bathroom Cladding




Public Wall & Floors




Facades



Table











Stairs



NEW — 2026/2027

COLLECTION



												
Raffello P090 FH — 01 —	Statuario P066FH — 02 —	Carrara P003 — 03 —	Calacatta Golden P096 — 04 —	Calacatta Aureo P316FH — 05 —	Macchia Vecchia P029Y — 06 —	Taj Mahal Pearl P812FH — 07 —	Taj Mahal P813 FL — 08 —	Travertine Beige P004 Y — 09 —	Travertine White P361 FH — 10 —	Calacatta Black P003L — 11 —	Laurent Golden P097 — 12 —	Iron Nero P021FG — 13 —



RAFFELLO

Colour is as white and smooth as jade, Particles are fine, and texture is natural and soothing, like the white clouds floating in the clear sky for thousands of miles, which makes people full of imagination and is suitable for quiet, elegant, soft and rustic decoration styles.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE


■ SILK

"DESIGN

■ 1

"APPLICATION

WALL|FLOOR COUNTERTOP FACADES





STATUARIO

Shedding All Extravagance, Embracing Serenity and Tranquility The snowflake-like, dynamic white reveals unparalleled integration, While the shifting gray textures mirror the raw vitality of life, flourishing upward.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE

■ SILK

"DESIGN

■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





CARRARA

Shedding All Extravagance, Embracing Serenity and Tranquility The snowflake-like, dynamic white reveals unparalleled integration, While the shifting gray textures mirror the raw vitality of life, flourishing upward.

“SIZE

- 1600X3200MM

“THICKNESS

- 12MM

“SURFACE

- SILK / POLISHED

“DESIGN

- 2

“APPLICATION

WALL|FLOOR COUNTERTOP FACADES





CALACATTA GOLDEN

A Surface as Smooth as Jade, Adorned with Silken Indigo Veins Freely distributed golden fissures add character, Emitting a natural aura under the interplay of light and shadow.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE


■ SILK

"DESIGN

■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





CALACATTA AUREO

Surface is as warm and moist as jade, with freely distributed and golden stone cracked textures, and a waterfall like au lait coffee falling slowly, forming a cream-colored stream, meandering, exuding a luxurious atmosphere under the interplay of light and shadow.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE

■ SILK

"DESIGN

■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





MACCHIA VECCHIA

Extracting the spirit of the earth's veins, Marble-Macchia-Vecchia features a soft beige base, with golden veins flowing like delicate threads. It resembles dawn breaking through clouds, or gold ink splashed onto paper. Each piece is a masterpiece of time and nature, transforming understated luxury into the language of space.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE

■ SILK

"DESIGN

■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





TAJ MAHAL PEARL

Natural texture seems to interweave the lakes and mountains, exuding an unparalleled hazy beauty. The perfect combination of art and nature blends elegance and agility.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE


■ SILK

"DESIGN

■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





TAJ MAHAL

The crystal-like tactile sensation and natural cracked ice texture are as if the moonlight and the lake water complement each other, making it clear and clear, giving people a feeling of peace and tranquility.

"SIZE

- 1600X3200MM

"THICKNESS

- 12MM

"SURFACE

- POLISHED

"DESIGN

- 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





TRAVERTINE BEIGE

Born of Italian travertine, its soft gray base is adorned with natural voids and textures, where light and shadow glide in delicate motion. It brings distinctive layers and tactile depth to interiors, striking a harmonious balance between raw nature and refined artistry.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE

■ 3D

"DESIGN

■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





TRAVERTINE WHITE

Originated from Italian travertine, the light and elegant background interprets natural beauty, and the soft and changeable texture interprets elegant style.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE

■ 3D

"DESIGN

■ 1

"APPLICATION

WALL|FLOOR COUNTERTOP FACADES





CALACATTA BLACK

Sourced from the Precious North African Marble, Calacatta Black, Bright white veins erupt against a deep black backdrop, Resembling rays of light breaking through clouds at dawn—mysterious and independent.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE

■ POLISHED

"DESIGN

■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES





LAURENT GOLDEN

Originating from Tunisia, Laurent Golden is Esteemed as the "Noble Among Black Stones" Its chocolate-like pure black surface features white veining and golden lines intertwined, Creating a classic and elegant unique texture and color palette.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE


■ SILK / POLISHED

"DESIGN

■ 2

"APPLICATION

WALL|FLOOR COUNTERTOP FACADES





IRON NERO

Through the Accumulation of Time, It Grows Ever More Profound and Noble With the unique hues of volcanic rock, it narrates the ever-changing history, Constantly showcasing its vitality and strength.

"SIZE

■ 1600X3200MM

"THICKNESS

■ 12MM

"SURFACE

■ NATURAL

"DESIGN


■ 1

"APPLICATION

WALL | FLOOR | COUNTERTOP | FACADES


SLABS

TECHNICAL DETAILS



		Sintered Stone 		Sintered Stone 	
		Required Values	Nabel Test Values	Required Values	Nabel Test Values
	Side	"±0.6% MAXIMUM ±2.0mm"	-0.1mm~+0.1mm	±1.0mm	-1.0mm~-0.5mm
	Thickness	"±5% ±0.5mm"	-0.14mm~+0.08mm	±0.3mm	-0.1mm~0.0mm
	Straightness Of Sides	"±0.5% ±1.5mm"	≤0.1mm	≤0.1mm	1.0mm
	Rectangularity	"±0.5% ±2.0mm"	≤0.8mm	≤1.5mm	1.0mm
	Water Absorption	E≤0.5%	Average: 0.022%	E≤0.5%	Average: 0.051%
	Breaking Strength	≥1300	Average: 4836.3N	≥800N	Average: 995.8N
	Modulus Of Rupture	≥35	Average: 54.3N/mm²	≥45MPa	Average: 52.3N/mm²
	Coefficient Of Linear Thermal Expansion	/	Average: 5.05x10-6/°C	/	Average: 4.95x10-6/°C
	"Abrasion Resistance"	≤175mm³	89mm³	≤150mm³	86mm³
	Resistance To Thermal Shock	NO DEFECT	NO DEFECT	NO DEFECT	NO DEFECT
	Forest Resistance	NO DEFECT	NO DEFECT	NO DEFECT	NO DEFECT
	Moisture Expansion	NO DEFECT	NO DEFECT	NO DEFECT	NO DEFECT
	Resistance To hemicals	MINIMUM 3	CLASS 5	MINIMUM 3	CLASS 5
	Chemical Resisance	UB	UA	UB	UA
	Mohs' Hardneed	MIn 5	6	MIn 5	6
	Reaction To Fire	A1		A1	
	Leachable Lead And Cadmium	"LeaChable Lead<0.1mg/dm2 Leachable Cadmium<0.01mg/dm2"		"LeaChable Lead<0.1mg/dm2 Leachable Cadmium<0.01mg/dm2"	
	"Limit Of Radionuclides"	Ira≤1.0 Lys≤1.3	Ira≤0.2 Lys≤0.6	Ira≤1.0 Lys≤1.3	Ira≤0.3 Lys≤0.6
	Impact Resistance	0.88		0.33	






Bianco Super+
HE3216111FL 1600x3200mm
Polished/super soft/slate



FOLLOW US ON:



CONTACT US.
+966 562392739
sales@brooqstone.com



Bianco Super+
HE3216111FL 1600x3200mm
Polished/super soft/slate

12mm 5.8mm